



### Food Establishment Inspection Report

Iowa Department of Inspections and Appeals 321 E 12th ST FL 3 Des Moines, IA 50319-0083	No. Of Risk Factor/Intervention Violations		0		Date: 1/10/2023 Time In: 10:00 AM Time Out: 11:20 AM
	No. Of Repeat Factor/Intervention Violations		0		
Establishment: CASCADE ELEMENTARY	Address: 110 HARRISON ST	City/State: CASCADE, IA	Zip: 52033	Telephone: 563-744-3885	
License/Permit#: 12182 - Food Service Establishment License	Permit Holder: WESTERN DUBUQUE SCHOOLS	Inspection Reason: Routine	Est. Type: Institutions	Risk Category: Risk Level 4 (High)	

#### FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

IN = In compliance OUT = Not in compliance N/O = Not observed N/A = Not applicable (\*) = Corrected on site during inspection (COS) R = Repeat violation

<b>Supervision</b>		15. Food separated and protected (Cross Contamination and Environmental)	IN
1. Person in charge present, demonstrates knowledge, and performs duties	IN	16. Food contact surfaces: cleaned and sanitized	IN
2. Certified Food Protection Manager	IN	17. Proper disposition of returned, previously served, reconditioned, and unsafe food	IN
<b>Employee Health</b>		<b>Potentially Hazardous Food Time/Temperature Control for Safety</b>	
3. Management, food employee and conditional employee knowledge, responsibilities and reporting	IN	18. Proper cooking time and temperatures	N/O
4. Proper use of exclusions and restrictions	IN	19. Proper reheating procedures of hot holding	N/O
5. Procedures for responding to vomiting and diarrheal events	IN	20. Proper cooling time and temperatures	N/O
<b>Good Hygienic Practices</b>		21. Proper hot holding temperatures	IN
6. Proper eating, tasting, drinking, or tobacco use	IN	22. Proper cold holding temperatures	IN
7. No discharge from eyes, nose, and mouth	IN	23. Proper date marking and disposition	IN
<b>Control of Hands as a Vehicle of Contamination</b>		24. Time as a public health control: procedures and records	IN
8. Hands clean and properly washed	IN	<b>Consumer Advisory</b>	
9. No bare hand contact with ready to eat foods	IN	25. Consumer advisory provided for raw or undercooked foods	N/A
10. Hand washing sinks properly supplied and accessible	IN	<b>Highly Susceptible Populations</b>	
<b>Approved Source</b>		26. Pasteurized foods used; prohibited foods not offered	IN
11. Foods obtained from an approved source	IN	<b>Food/Color Additives and Toxic Substances</b>	
12. Foods received at proper temperatures	IN	27. Food additives: approved, properly stored, and used	N/A
13. Food in good condition, safe, and unadulterated	IN	28. Toxic substances properly identified, stored and used	IN
14. Required records available; shellstock tags, parasite destruction	N/A	<b>Conformance with Approved Procedures</b>	
<b>Protection from Contamination</b>		29. Compliance with variance, specialized process, reduced oxygen packaging criteria, and HACCP plan	N/A

#### GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

<b>Safe Food and Water</b>		<b>Proper Use of Utensils</b>	
30. Pasteurized eggs used where required	IN	43. In use utensils: properly stored	IN
31. Water and ice from approved source	IN	44. Utensils, equipment, and linens: properly stored dried and handled	IN
32. Variance obtained for specialized processing methods	N/A	45. Single-use/single service articles: properly stored and used	IN
<b>Food Temperature Control</b>		46. Slash-resistant and cloth glove use	IN
33. Proper cooling methods used; adequate equipment for temperature control	IN	<b>Utensils, Equipment, and Vending</b>	
34. Plant food properly cooked for hot holding	IN	47. Food and non-food contact surfaces are cleanable, properly designed, constructed, and used	IN
35. Approved thawing methods	IN	48. Warewashing facilities: installed, maintained, and used; test strips	OUT
36. Thermometers provided and accurate	IN	49. Non-food contact surfaces clean	IN
<b>Food Identification</b>		<b>Physical Facilities</b>	
37. Food properly labeled; original container	IN	50. Hot and Cold water available; adequate pressure	IN
<b>Prevention of Food Contamination</b>		51. Plumbing installed; proper backflow devices	IN
38. Insects, rodents, and animals not present/outer openings protected	IN	52. Sewage and waste water properly disposed	IN
39. Contamination prevented during food preparation, storage and display	IN	53. Toilet facilities; properly constructed, supplied, and cleaned	IN
40. Personal cleanliness	IN	54. Garbage and refuse properly disposed; facilities maintained	IN
41. Wiping cloths: properly used and stored	IN	55. Physical facilities installed, maintained, and clean	IN
42. Washing fruits and vegetables	IN	56. Adequate ventilation and lighting; designated areas used	IN
		57. Licensing; posting licenses and reports; smoking	IN

Inspection reports shall be posted no higher than eye level where the public can see and in a manner that the public can reasonably read the report.

P - Priority

PF- Priority Foundation

C - Core

## FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
-------------	-------------------	----------------	---------	-----------------

## GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
48.	4-302.13	C	Observation: There is no irreversible measuring device to check the temperature of the high temperature mechanical ware wash machine.	4/10/2023

## Inspection Published Comment:

This inspection is for a routine inspection of an elementary school that serves breakfast and lunch. Lunch is brought in from the local high school production kitchen.


48. The disktemp thermodisk that the school uses would not turn on.

The following guidance documents have been issued:

Document Name	Description
DIA_48TestStrips	48 Test Strips



Angie Bergfeld  
Person In Charge



SHERRI SIGWARTH  
Inspector